


Plaat Brons Tôle Bronze

Fosforbrons, plaat (veerkwaliteit tot dikte 3 mm)
Bronze phosph., tôle (qualité ressort jusqu'à 3 mm)

CuSn6 2.1020

CW452K EN 1652




A x B x e (mm)	Code	Kg / St-Pc
2000 x300 x0,2	D340061	1,056
2000 x300 x0,25	D340081	1,320
2000 x300 x0,3	D340091	1,584
2000 x300 x0,4	D340121	2,112
2000 x300 x0,5	D340151	2,640
2000 x300 x0,6	D340181	3,168
2000 x300 x0,7	D340196	3,696
2000 x300 x0,8	D340211	4,224
2000 x300 x1	D340241	5,280
2000 x300 x1,2	D340256	6,336
2000 x300 x1,5	D340271	7,920
2000 x300 x2	D340301	10,560
2000 x300 x2,5	D340316	13,200
2000 x300 x3	D340331	15,840
2000 x300 x4	D340361	21,120
2000 x300 x5	D340391	26,400
2000 x300 x6	D340421	31,680
2000 x300 x8	D340451	42,240
2000 x600 x10	D340481	105,600
2000 x600 x12	D340511	126,720
2000 x600 x15	D340541	158,400
2000 x600 x20	D340571	211,200

Plaat Koper Tôle Cuivre

Sf-Cu, plaat, zacht
Sf-Cu, tôle, recuit

Cu-DHP R220

CW024A EN 1652




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x0,3	B250091	5,340
2000 x1000 x0,4	B250106	7,120
2000 x1000 x0,5	B250121	8,900
2000 x1000 x0,6	B250151	10,680
2000 x1000 x0,7	B250161	12,460
2000 x1000 x0,8	B250181	14,240
2000 x1000 x1	B250211	17,800
2000 x1000 x1,2	B250241	21,360
2000 x1000 x1,5	B250271	26,700
2000 x1000 x2	B250301	35,600
2000 x1000 x2,5	B250331	44,500
2000 x1000 x3	B250361	53,400

Plaat Koper Tôle Cuivre

Sf-Cu, plaat, 1/2 hard
Sf-Cu, tôle, demi-dur

Cu-DHP R240

CW024A EN 1652




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x0,3	B250421	5,340
2000 x1000 x0,4	B250451	7,120
2000 x1000 x0,5	B250481	8,900
2000 x1000 x0,6	B250511	10,680
2250 x1000 x0,6	B250526	12,015
2000 x1000 x0,7	B250541	12,460
2250 x1000 x0,7	B250556	14,018
2000 x1000 x0,8	B250571	14,240
2250 x1000 x0,8	B250586	16,020
2000 x1000 x1	B250601	17,800
2500 x1250 x1	B250631	27,813
2000 x1000 x1,2	B250661	21,360
2000 x1000 x1,5	B250691	26,700
2000 x1000 x2	B250721	35,600
2000 x1000 x2,5	B250751	44,500
2000 x1000 x3	B250781	53,400
2000 x1000 x4	B250811	71,200
2000 x1000 x5	B250871	89,000
2000 x1000 x6	B250931	106,800

Plaat Koper *Tôle Cuivre*

E-Cu, plaat, zacht
E-Cu, tôle, recuit

Cu-ETP R220

CW004A EN 1652




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x1	B280003	17,800
2000 x1000 x2	B280009	35,600
2000 x1000 x3	B280019	53,400
2000 x1000 x4	B280026	71,200
2000 x1000 x5	B280036	89,000

Plaat Koper Tôle Cuivre

E-Cu, plaat, 1/2 hard (warmgewalst vanaf 8mm)
E-Cu, tôle, 1/2 dur (laminé à chaud à partir de 8mm)

Cu-ETP R240

CW004A EN 1652




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x1	B280005	17,800
2000 x1000 x1,5	B280007	26,700
2000 x1000 x2	B280011	35,600
2000 x1000 x2,5	B280016	44,500
2000 x1000 x3	B280021	53,400
2000 x1000 x4	B280031	71,200
2000 x1000 x5	B280041	89,000
2000 x1000 x6	B280056	106,800
3020 x1020 x8	B280061	219,325
3020 x1020 x10	B280121	274,156
3020 x1020 x12	B280181	328,987
3020 x1020 x15	B280241	411,233
3020 x1020 x20	B280301	548,311
3020 x1020 x25	B280361	685,389
3020 x1020 x30	B280421	822,467
3020 x1020 x40	B280481	1096,622
3020 x1020 x50	B280541	1370,778

Plaat Koper Tôle Cuivre

SE-Cu, plaat, warmgewalst
SE-Cu, tôle, laminé à chaud

Cu-HCP 2.0070

CW020A EN 13599



A x B x e (mm)	Code	Kg / St-Pc
2020 x1020 x10	B290101	183,376
3020 x1020 x12	B290181	328,987
3020 x1020 x15	B290241	411,233
1960 x1050 x16	B290278	293,059
3020 x1020 x20	B290301	548,311
3020 x1020 x25	B290361	685,389
3020 x1020 x30	B290421	822,467
3020 x1020 x35	B290466	959,545
3020 x1020 x40	B290481	1096,622
3020 x1020 x50	B290541	1370,778
2020 x1020 x80	B290641	1467,005


op korte termijn / à délai court

Plaat Messing Tôle Laiton

Ms63, plaat, zacht
Lt63, tôle, recuit

CuZn37 R300 2.0321

CW505L EN 1652




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x0,3	C430031	5,100
2000 x1000 x0,4	C430061	6,800
2000 x1000 x0,5	C430091	8,500
2000 x1000 x0,6	C430121	10,200
2000 x1000 x0,8	C430151	13,600
2000 x1000 x1	C430181	17,000
2000 x1000 x1,2	C430211	20,400
2000 x1000 x1,25	C430221	21,250
2000 x1000 x1,5	C430241	25,500
2000 x1000 x2	C430271	34,000
2000 x1000 x2,5	C430291	42,500
2000 x1000 x3	C430321	51,000

Plaat Messing Tôle Laiton

Ms63, plaat, 1/2 hard
Lt63, tôle, 1/2 dur

CuZn37 R350 2.0321

CW507L EN 1652




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x0,3	C430376	5,100
2000 x1000 x0,4	C430391	6,800
2000 x1000 x0,5	C430421	8,500
2000 x1000 x0,6	C430451	10,200
2000 x1000 x0,7	C430481	11,900
2000 x1000 x0,8	C430511	13,600
2000 x1000 x1	C430541	17,000
2000 x1000 x1,2	C430631	20,400
2000 x1000 x1,25	C430641	21,250
2000 x1000 x1,5	C430661	25,500
2000 x1000 x2	C430721	34,000
2000 x1000 x2,5	C430781	42,500
2000 x1000 x3	C430811	51,000
2000 x1000 x4	C430841	68,000
2000 x1000 x5	C430901	85,000
2000 x1000 x6	C430961	102,000

Plaat Messing Tôle Laiton

Ms58, plaat, warmgewalst
Lt58, tôle, laminé à chaud

CuZn39Pb2 2.0380

CW612N EN 1652




A x B x e (mm)	Code	Kg / St-Pc
3020 x1020 x8	C460091	209,467
3020 x1020 x10	C460151	261,834
3020 x1020 x12	C460211	314,201
3020 x1020 x15	C460271	392,751
3020 x1020 x20	C460331	523,668
3020 x1020 x25	C460391	654,585
3020 x1020 x30	C460451	785,502
3020 x1020 x35	C460492	916,419
3020 x1020 x40	C460511	1047,336
3020 x1020 x50	C460571	1309,170
1420 x840 x60	C460631	608,328
1420 x840 x70	C460691	709,716
1420 x840 x80	C460751	811,104
1420 x840 x90	C460811	912,492
1420 x840 x100	C460871	1013,880

Plaat Messing Tôle Laiton

Ms63, plaat, 1/2 hard, blinkend, 1 zijde folie
Lt63, tôle, 1/2 dur, brillant, filmé 1 face

CuZn37 R350 2.0321

CW507L EN 1652




A x B x e (mm)	Code	Kg / St-Pc
2000 x1000 x0,8	C430526	13,600
2000 x1000 x1	C430571	17,000
3000 x1000 x1	C430601	25,500
2000 x1000 x1,5	C430691	25,500

Plaat Messing Tôle Laiton

Ms58, plaat, graveerkwaliteit
MS58, tôle, qualité graveur

CuZn39Pb2 2.0380

CW612N EN 1652




A x B x e (mm)	Code	Kg / St-Pc
2000 x600 x1	C490031	10,200
2000 x600 x1,5	C490061	15,300
2000 x600 x2	C490091	20,400
2000 x600 x3	C490121	30,600
2000 x600 x5	C490151	51,000
2000 x600 x7	C490211	71,400

Plaat Zink Tôle Zinc

Titaanzink, 99,995 %
Zinc-Titane 99,995%

EN 988



A x B x e (mm)	Code	Kg / St-Pc
2250 x1000 x0,5	D400031	8,100
2250 x1000 x0,7	D400046	11,340
2250 x1000 x0,8	D400061	12,960
2250 x1000 x1	D400091	16,200